

Activity and Incident Report for the ICANN Managed Root Server

Prepared by ICANN's Security and Network Engineering Department

For the Reporting Period of 2024-7-01 - 2024-7-31

Contents

1	Executive Summary	1
2	Performance Indicators	2
2.1	DNS Queries for this Period	2
2.2	DNS Query Distribution Trends	3
3	Operational Indicators	4
3.1	Security Incidents related to IMRS	4
3.2	Non-scheduled downtime events	4
4	Size and location of the IMRS	5
4.1	Number of Instances	5
4.2	Number of IMRS Cluster Instances	5
4.3	Number of countries that have at least one instance presence by ICANN region	5
4.4	Location for IMRS Instances by city	6

1 Executive Summary

This monthly report provides operational and statistical information on the ICANN Managed Root Server (IMRS), known within the Domain Name System (DNS) as `L.ROOT-SERVERS.NET`.

IMRS is a collection of servers and associated hardware with global presence managed, controlled and supervised by ICANN that provide information about the Root Zone, which is the apex of a hierarchical distributed database for the Domain Name System (DNS).

More information on the Root Server System and its organizations can be found at <https://root-servers.org>. and about IMRS at <https://dns.icann.org/imrs>

A deeper understanding of the statistics in this document can be gained by accessing the IMRS Statistics dashboard at <https://stats.dns.icann.org>.

For this reporting period:

- There were no outstanding issues related to security or unplanned downtime.
- There were no observed anomalies in DNS Traffic to the IMRS

2 Performance Indicators

2.1 DNS Queries for this Period




Figure 1: Number of daily DNS queries for this period




Figure 2: Total DNS queries distribution

2.2 DNS Query Distribution Trends

Region	Average daily DNS clients
AsiaPacific	64978
NorthAmerica	28114
Europe	20880
LatinAmericaCaribbean	8504
Africa	1467

Figure 3: Query origins per ICANN Region




Figure 4: Query distribution percentage per ICANN region

3 Operational Indicators

3.1 Security Incidents related to IMRS

- During this period, no security incidents were reported, recorded nor published

For transparency, ICANN publishes a log of Information Security events at <https://www.icann.org/cybersecurityincidentlog>

3.2 Non-scheduled downtime events

- During this period, no irregular or unplanned downtime was observed

4 Size and location of the IMRS

4.1 Number of Instances

- 3 instance(s) were added in this period : Dortmund (DE), St Denis (RE), and Dusseldorf (DE)
- 1 instance(s) were retired in this period : San Juan (PR)
- 273 instances are located in 85 countries at the end of this period

4.2 Number of IMRS Cluster Instances

A "Cluster" is an IMRS instance consisting of a set of servers and associated hardware providing the IMRS service at a single location which is designed to serve a larger DNS query load, community, or specific region.

An IMRS Cluster is completely managed, controlled and supervised by ICANN.

At the moment of writing this report, there are six (6) ICANN Cluster Instances located in:

- El Segundo, CA (US)
- Prague (CZ)
- Reston, VA (US)
- Singapore (SG)
- Nairobi (KE)
- Cairo (EG)

4.3 Number of countries that have at least one instance presence by ICANN region

- Africa (15)
- AsiaPacific (31)
- Europe (22)
- LatinAmericaCaribbean (13)
- NorthAmerica (4)

4.4 Location for IMRS Instances by city

Abidjan (CI)	Carolina (PR)	Islamabad-Rawalpindi (PK)
Alexandria (AU)	Changsha City (CN)	Jaipur (IN)
Amman (JO)	Chicago (US)	Johannesburg (ZA)
Anchorage (US)	Chisinau (MD)	Kalamazoo-Battle Creek (US)
Ancona (IT)	Christchurch (NZ)	Kiev (UA)
Apia (WS)	Cochabamba (BO)	Kolonia (FM)
Arlington County (US)	Colombo (LK)	Koror (PW)
Asuncion (PY)	Curitiba (BR)	Kunming City (CN)
Atlanta (US)	Dakar (SN)	Kuwait City (KW)
Baku (AZ)	Dammam (SA)	Latina (IT)
Bangalore (IN)	Dar es Salaam (TZ)	Lawrence (US)
Bangkok (TH)	Dubai (AE)	Leeds-Bradford (GB)
Beijing (CN)	Dundee (GB)	Londrina (BR)
Beirut (LB)	El Prat de Llobregat (ES)	Longwood (US)
Belem (BR)	Erbil (IQ)	Los Angeles (US)
Belgrade (RS)	Ezeiza (AR)	Madrid (ES)
Belo Horizonte (BR)	Florence (IT)	Mahe (SC)
Blantyre (MW)	Florianopolis (BR)	Majuro (MH)
Bogota (CO)	Fortaleza (BR)	Mandalay (MM)
Brasilia (BR)	Geneva (CH)	Mangere (NZ)
Bratislava (SK)	Guwahati (IN)	Mascot (AU)
Brazzaville (CG)	Hagatna (GU)	Maseru (LS)
Brisbane (AU)	Haikou (CN)	Melbourne (AU)
Brussels (BE)	Hamburg (DE)	Minsk (BY)
Cacador (BR)	Harare (ZW)	Mohali (IN)
Cairo (EG)	Helsinki-Vantaa (FI)	Monterrey (MX)
Callao (PE)	Heraklion (GR)	Montevideo (UY)
Campinas (BR)	Honiara (SB)	Moroni (KM)
Cape Town (ZA)	Honolulu (US)	Moscow (RU)
Carire (BR)	Incheon (KR)	

Mumbai (IN)	Quito (EC)	Sao Paulo (BR)
Muscat (OM)	Rabat (MA)	Semey (KZ)
Nadi (FJ)	Ramallah (PS)	Shanghai (CN)
Nairobi (KE)	Rarotonga (CK)	Singapore (SG)
Natal (BR)	Reno (US)	Sofia (BG)
New Taipei (TW)	Reston (US)	Stockholm (SE)
Noumea (NC)	Rio de Janeiro (BR)	Suva (FJ)
Odessa (UA)	Rostov-on-Don (RU)	Tampere (FI)
Otopeni (RO)	Saint Petersburg (RU)	Toronto (CA)
Ouagadougou (BF)	Salvador (BR)	Uberlandia (BR)
Papeete (PF)	San Jose (CR)	Vancouver (CA)
Paris (FR)	San Jose (US)	Wilmington (US)
Perth (AU)	San Juan (PR)	Winnipeg (CA)
Plaisance (MU)	San Miguel de Tucuman (AR)	Wuhan (CN)
Port Moresby (PG)	San Salvador (SV)	Xining (CN)
Portland (US)	Sana'a (YE)	Yangon (MM)
Porto (PT)	Santiago (CL)	Yogyakarta (ID)
Porto Alegre (BR)	Sao Jose dos Campos (BR)	Zhengzhou (CN)

Detailed information on IMRS locations can be found at <https://www.dns.icann.org/imrs/locations/>